



MISSION
CRITICAL
PRINTING
SOLUTION

INDUSTRIAL.
RUGGED.
FLEXIBLE.



PRINTRONIX®
LP654C

A4 DIGITAL COLOR PRINTER

Etinex

info@etinex.fi www.etinex.fi
044 777 6688



Compact and industrial, with massive performance.


The Printronix LP654C gets the job done, enabling you to get on with yours.

Your business deserves an industrial-grade printer that helps it grow, and the LP654C delivers. Built to meet the high demands of industrial market applications, this rugged and durable device provides the speed, flexibility, and reliability needed in mission-critical situations.

Taking mere seconds to print from idle, users can avoid production delays and disruptions with the quickest “first to print” and print speeds up to 35 pages per minute. The straight-through paper path and diverse media handling capabilities make it effortless to run ultra-thick sheets for shipping labels in one moment, and produce the packing slips next.

The LP654C's space-saving design allows it to fit into a variety of industrial spaces, further providing the flexibility to adapt to the specific needs of your business. With its high-duty cycle, low total cost of ownership, and robust design, this industry leading print solution makes short work of everything from black and white barcode labels to full color documentation. And with running costs designed for heavy use, it makes high-volume, high-quality color printing fast, inexpensive, and efficient.





Built for your **INDUSTRIAL** environment

When users require speed and efficiency, the LP654C is there to get the job done. It's designed to work as hard as you do, providing years of reliable performance.

- Freight and logistics
- Shipping/receiving
- Warehouse/fulfillment
- Order picking/packing
- Inventory management
- Product labeling
- Retail and storefront
- Invoicing/receipts
- Service documentation
- Safety and compliance materials
- Healthcare/medical

Why choose the LP654C?

Your business deserves a powerful device that seamlessly integrates with daily operations, and the Printronix LP654C packs loads of production enhancing functions that help get the job done. Built with industrial operations in mind, it provides remarkably reliable performance, increases productivity, and ultimately improves workflow efficiency.

- **Reliability** – Thanks to its rugged design and advanced capabilities, the Printronix LP654C is the most robust device in the A4 class.
- **Unrivaled TCO** – Designed to print, and print, and print, its long life and high duty cycle are supported with separate toners and drums to ensure the maximum usage of all consumables and lower TCO.
- **Diverse media handling capabilities** – The LP654C packs loads of performance capabilities. Print everything from labels and cardstock, to brilliant full color documents
- **Indoor/outdoor substrate durability** – Print magnetic and ultra-durable water/tear proof materials suitable for both indoor and outdoor applications. Perfect for warehouse and production environments, shelf labeling, and signage.
- **Superior print speeds** – Time matters and the LP654C is ready to meet those demands, printing up to 35 pages a minute, with ease, on media up to 256g/m² or up to 52" (1.32m) long.
- **Straight-through paper path** – Easily run thick stocks such as labels and envelopes, with no jams or errors, further avoiding delays and disruptions in time-sensitive situations.
- **Compact size** – Space saving technology means it needs little operating space, ideal for production lines, kiosks or other difficult to reach areas.
- **Adaptability** – The world is changing, and the LP654C can be configured to meet the unique needs of your industrial environment.
- **World-class service and support** – Printronix has been addressing global customer needs for mission-critical printing for more than 45 years, delivering customized solutions and services to support and improve uptime in industrial environments.



LP654C

Product Specifications

PRINT SPEED

Print speed	35ppm color/mono
Time to first print	6.5 seconds color/mono
Warm up time	≤20 seconds from power on ≤11 seconds from power save

PRINT QUALITY

Resolution	1200 x 1200 dpi
Enhancements	Auto Color Balance, Photo Enhance via Driver (Windows PCL6 driver only)

DUTY CYCLE

Maximum:	100,000 pages/month;
Average:	10,000 pages/month

MEMORY

1 GB RAM; 3GB eMMC

CONNECTIVITY/INTERFACES

Standard	10/100/1000 Base Ethernet, USB 2.0 Device, USB 2.0 Host x 1, NFC ¹
Optional	Wireless 802.11abgn

PRINTER LANGUAGES

PCL 6 (XL3.0) emulation, PCL 5c emulation, Epson FX Emulation, PostScript 3 emulation, PDF 2.0 emulation, IBM ProPrinter emulation

NETWORK & PROTOCOLS

All major network protocols supported via ethernet card with internal web server for printer and network card set-up and management. TCP/IP v4&v6, NetBIOS over TCP, DHCP, DHCPv6, HTTP, HTTPS, DNS, DDNS, WINS, Bonjour, SMTP, SMTPS, POP3, SNMPv1&v3, SNMP, IPP, IPPS, WSD Print, LLTD, IEEE802.1X, LPR, Port9100, Telnet, FTP, FTPS, AirPrint, Wireless IEEE802.11a/b/g/n, WEP, WPA, WPA2, Personal, Enterprise²

OS COMPATIBILITY³

Windows 7 (32-bit & 64-bit) and higher; Mac OS X 10.10 and higher

ADVANCED NETWORKING & SECURITY

IPv6, 802.1x authentication, SNMP V3, SSL3/TLS HTTPS encryption, Secure Print, Secure Erase, Data Encryption, IP filtering, IPsec, MAC Filtering

BARCODES & SPECIALTY FONTS

10 types of one dimension with 26 variations: UPC-A, UPC-E, EAN/JAN-8, EAN/JAN-13, Interleaved2of5, Code 39, Code 128, EAN/UCC-128, CODABAR, ZIP+4 POSTNET, 2 types of two dimensions: PDF417, QR code(Model2), LinePrinter, OCR-A/B, USPS ZIP Barcode

CONSUMABLES

CMY Toner cartridges ⁴	6,000 pages
Black Toner cartridge ⁴	7,000 pages
Image drums ⁵	50,000 pages
Transfer belt	60,000 pages
Fuser unit ⁶	60,000 pages

PAPER INPUT CAPACITY

Tray 1	250 sheets of 80g/m ² ;
Multi-purpose tray	100 sheets of 80g/m ²

PAPER CAPACITY OPTIONAL TRAYS

Tray 2/3/4: 530 sheets of 80g/m²

MAXIMUM PAPER CAPACITY

1,940 sheets of 80g/m²

PAPER SIZES

A4, A5, A6, B5, B6, B6 Half, B7, B8, Letter, Legal 13, Legal 13.5, Legal 14, Executive, Statement, 8.5" SQ, Folio, 16K, Index Card (3" x 5") (75 x 125mm), Photo Size (4" x 6", 5" x 7") (100 x 150mm, 125 x 175mm), Envelopes, Postcard, Return Postcard, Custom Size: Width 2.2-8.5" (55-216mm) x Length 3.6-52" (91-1,321mm)

PAPER WEIGHT

Tray 1, Multi-purpose tray	60 to 256g/m ² ;
Tray 2/3/4, Duplex	64 to 176g/m ² ;

PAPER OUTPUT

150 sheets face down, 100 sheets face up, 80g/m²

DUPLEX (2-SIDED PRINTING)

Standard

ENVIRONMENT (TEMPERATURE/HUMIDITY)

Operating	50°F to 90°F (10°C to 32°C), 20% to 80% RH
Storage	14°F to 109°F (-10°C to 43°C), 10% to 90% RH

POWER SUPPLY

Single phase 120VAC or 220-240VAC, frequency 50/60 Hz +/- 2%
Include Energy Star compliance as per LP844C

ENVIRONMENTAL COMPLIANCE

ENERGY STAR 3.0 (TEC Value 0.57KWh)

NOISE LEVEL

Operating: 54dB(A) or less; Standby: 32dB(A) or less; Power save: Inaudible

DIMENSIONS (WxDxH)

15.6" x 16.9" x 11.4" (395mm x 430mm x 290mm)

WEIGHT

Approx. 62.2 lbs (28.2kg) including all consumables⁷

WARRANTY

Printer: 1 year; LED Printheads: 5 year limited warranty

**DIGITAL
LED**
.....

¹ Android device only, print through Printronix Mobile Print App

² Only available with Wireless Network W-LAN

³ Check Printronix website for latest driver releases and OS compatibility

⁴ Toners: A4 pages yield compliant with ISO/IEC 19798

⁵ Drum: Average number of A4 pages printed (3 pages per job)

⁶ Fuser: 3 pages per job

⁷ Printer shipped with toner for approx. 3,000 A4 pages

Etinex

info@etinex.fi www.etinex.fi
044 777 6688

PRINTRONIX®

www.printronix.com